



# SAFE AIR

**your life changer**

Retail

Take care of health and safety of your employees & clients!



# SAFE AIR

**Meet SAFE AIR** - an industrial air purifier of the latest generation was created for the sake of comfort and safety of work for staff and clients staying in the store.

- it eliminates harmful substances from the air and it absorbs the smallest PM1 particles including **viruses and bacteria**
- intended for large areas
- full exchange of air in the room every 45 minutes
- more than **99,995%** filtering efficiency with HEPA 14 filter

## Will SAFE AIR work out in my business?

Clean air is needed for all of us. SAFE AIR is intended for public spaces such as:



large stores and  
convenience stores



bakeries and  
confectioneries



butcher's



petrol stations



beauty supply  
stores



other gastronomical  
and service facilities




### Key benefits of SAFE AIR

- it protects staff and clients against the negative health effects of bad air quality
- employees and clients can feel safe even in crowded places
- it eliminates all microorganisms including dangerous viruses and bacteria as well as mould and fungus spores
- it improves mood and productivity in the workplace
- it improves sense of security and comfort of work

### Advantages

- |  |   |   |  |
|--|---|---|--|
|  | HEPA H14 professional industrial filter (High Efficiency Particulate Air)   |  | control of the exploitation of device: sensor of filter exchange |
|  | suitable for facilities with high requirements in the field of air quality including medical industry   |  | highly-efficient fan motor                                       |
|  | Three-stage Pro-life system of filters that eliminates particles including dangerous viruses, bacteria, mould and fungal spores as well as particulate matter |  | low noise level  |
|  | 10 times bigger filtering area than in traditional purifiers for domestic use   |  | easy to move thanks to wheels                                    |
|  | 100% of tightness   |  | CE certificate   |
|  | constant operation providing uninterrupted airflow  |  | PZH certificate  |



## Three-stage Pro-life filtration

### Industrial HEPA 14 filter

It effectively eliminates air pollution such as particulate matter PM1, PM2,5, PM10, plant pollen, mould spores, allergens, mite, bacteria, viruses and fuge spores. HEPA 14 filters are characterised by the highest effectiveness **(99,995%)**.

Filter replacement is recommended every 12 months.

### F9 Mini Pleat Filter

It eliminates minor air pollution, plant pollen and particulate matter **PM1>80%**. It protects against smog and allergens in the air. The filters are moisture resistant and durable.

Filter replacement is recommended every 12 months.

### Carbon filter

It removes unpleasant odors and protects following stages of filtration against clogging with dust. The filter eliminates dust and flecks of animal hair and fibres.

Filter replacement is recommended every 12 months.

## SAFE AIR 300



Filtering efficiency	<b>99,995%</b>
System of air filtration	Three-stage Pro-life system
Main filter	HEPA - 14 class
Norm	EN 1822-4/5
Transport of gas	energy-saving fans
Recommended area	to 80 m <sup>2</sup>
Air exchange	300 m <sup>3</sup> /h*
Air exchange for 80 m <sup>2</sup>	every 48 min
Carbon filter	flow 1250 m <sup>3</sup> /h
F9 Mini Pleat filter	flow 2250 m <sup>3</sup> /h
HEPA H14 filter	flow 300 m <sup>3</sup> /h
Loudness	50 dB – normal mode 45 dB – eco mode
Energy consumption	0,9 kW/24h
Construction	free standing device, on wheels, metal housing, RAL 7042 / RAL 9003
Dimensions	395 x 660 x 1300 mm
Weight	52 kg

## SAFE AIR 600



Filtering efficiency	<b>99,995%</b>
System of air filtration	Three-stage Pro-life system
Main filter	HEPA - 14 class
Norm	EN 1822-4/5
Transport of gas	energy-saving fans
Recommended area	to 150 m <sup>2</sup>
Air exchange	600 m <sup>3</sup> /h*
Air exchange for 150 m <sup>2</sup>	every 45 min
Carbon filter	flow 1250 m <sup>3</sup> /h
F9 Mini Pleat filter	flow 2250 m <sup>3</sup> /h
HEPA H14 filter	flow 600 m <sup>3</sup> /h
Loudness	59 dB – normal mode 55 dB – eco mode
Energy consumption	1,2 kW/24h
Construction	free standing device, on wheels, metal housing, RAL 7042 / RAL 9003
Dimensions	700 x 660 x 1300 mm
Weight	68 kg

\* for a room with a height of h=3 m. Ask your consultant about the choice of a device for your space

**esk**

**SAFE AIR**

**Contact:**

ES SYSTEM K sp. z o.o.  
ul. Wrzosowa 10,  
32-340 Wolbrom

+48 32 644 04 00  
info@essystemk.pl  
www.essystemk.pl